Attorney Docket No. CCI-010CN

Amendments to the Claims:

This listing of claims will replace all prior version, and listings, of claims in the application.

Listing of Claims

1. (Currently Amended) A membrane translocation peptide carrier moiety consisting of

2

(a) RRMKWKK (SEQ ID NO: 2)

1 7

- (b) SEQ ID No 2, wherein one or more to three amino acid residues are replaced by a naturally or non-naturally occurring amino acid residue;
- (c) SEQ ID No 2, wherein the order of one or more amino acid residues are reversed:
 - (d) SEQ ID No 2, wherein both (b) and (c) are present together;
- (e) SEQ ID No 2, wherein a spacer group is present between any two amino acid residues;
 - (f) SEQ ID No 2, wherein one or more amino acid residues are in peptoid form;
- (g) SEQ ID No 2, wherein the (N-C-C) backbone of one or more amino acid residues of the peptide carrier moiety has been modified; or
 - (h) SEQ ID NO:2, having any of (b)-(g) in combination

Claims 2-48 (Canceled)

- 49. (Currently Amended) A carrier moiety according to claim 1, wherein one or more to three amino acid residues are replaced by homologous replacement.
 - 50. (Canceled)

USSN 09/854204

3

Attorney Docket No. CCI-010CN

51. (Currently Amended) A carrier moiety according to claim 1, wherein one or more to three amino acid residues are replaced by non-homologous replacement.

52. (Canceled)

- 53. (Previously Presented) A carrier moiety according to claim 51, wherein the replacement amino acid is a non-natural amino acid selected from the group consisting of: alpha* and alpha-disubstituted* amino acids, N-alkyl amino acids*, lactic acid*, halide derivatives of natural amino acids, L-allyl-glycine*, β-alanine*, L-α-amino butyric acid*, L-γ-amino butyric acid*, L-α-amino isobutyric acid*, L-ε-amino caproic acid*, 7-amino heptanoic acid*, L-methionine sulfone**, L-norleucine*, L-norvaline*, p-nitro-L-phenylalanine*, L-hydroxyproline*, L-thioproline*, and methyl derivatives of phenylalanine (Phe), L-Phe (4-amino)*, L-Tyr (methyl)*, L-Phe (4-isopropyl)*, L-Tic (1,2,3,4-tetrahydroisoquinoline-3-carboxyl acid)*, L-diaminopropionic acid * and L-Phe (4-benzyl)*, wherein the notation * indicates that the derivative is hydrophobic.
- 54. (Previously Presented) A carrier moiety according to claim 1, wherein the order of the second and third amino acids from the C-terminal end of the peptide is reversed.
- 55. (Previously Presented) A carrier moiety according to claim 1, wherein a spacer group is present between any two amino acid residues, and the spacer group is an alkyl group.
- 56. (Previously Presented) A carrier moiety according to claim 55, wherein the alkyl group is selected from the group consisting of methyl, ethyl and propyl groups.
- 57. (Previously Presented) A carrier moiety according to claim 1, wherein a spacer group is present between any two amino acid residues, and the spacer group is an amino acid residue.

USSN 09/854204

58.

- (Previously Presented) A carrier moiety according to claim 57, wherein
- 59. (Previously Presented) A carrier moiety according to claim 1, wherein one or more amino acids are in peptoid form.

the spacer group is selected from the group consisting of glycine and β -alanine.

- 60. (Currently Amended) A carrier moiety according to claim 1, wherein one or more to three amino acid residues at any of positions 1, 2, 3, 5, 6 or 7 of said formula (SEQ ID No. 2) are replaced by a naturally or non-naturally occurring amino acid.
- 61. (Previously Presented) A carrier moiety according to claim 1, wherein the order of one or more amino acid residues at any of positions 1, 2, 3, 5, 6 or 7 of said formula (SEQ ID No. 2) are reversed.
- 62. (Previously Presented) A carrier moiety according to claims 60, wherein the amino acid residue at position 3 or 7 of said formula (SEQ ID No. 2) is replaced.
- 63. (Previously Presented) A carrier moiety according to claim 60, wherein the amino acid residue at position 3 of said formula (SEQ ID No. 2) is replaced.
- 64. (Previously Presented) A carrier moiety according to claim 61, wherein the order of the amino acid residue at position 3 or 7 of said formula (SEQ ID No. 2) is reversed.
- 65. (Previously Presented) A carrier moiety according to claim 61, wherein the order of the amino acid residue at position 3 of said formula (SEQ ID No. 2) is reversed.
- 66. (Previously Presented) A carrier moiety according to claims 49 wherein homologous replacement occurs at any of positions 1 and 2 of said formula (SEQ ID No.

Anomey Docket No. CCI-010CN

2).

67. (Previously Presented) A carrier moiety according to claims 51 or 53, wherein non-homologous replacement occurs at any of positions 3, 4, 5 and 6 of said formula (SEQ ID No. 2).

5

- 68. (Previously Presented) A carrier moiety according to claims 1, 49 or 51, wherein two amino acid residues of said formula (SEQ ID No. 2) are replaced by homologous or non-homologous replacement.
- 69. (Previously Presented) A carrier moiety according to claim 68, wherein amino acid residues at positions 2 and 3 of said formula (SEQ ID No. 2) are replaced.
- 70. (Previously Presented) A carrier molety according to claim 68, wherein amino acid residues at positions 4 and 5 of said formula (SEQ ID No. 2) are replaced.
- 71. (Previously Presented) A carrier moiety according to claim 68, wherein amino acid residues at position 5 and 6 of said formula (SEQ ID No. 2) are replaced.
- 72. (Previously Presented) A carrier moiety according to claim 53, wherein the halide derivative is selected from the group consisting of trifluorotyrosine*, p-Cl-phenylalanine*, p-Br-phenylalanine*, and p-I-phenylalanine*.
- 73. (Previously Presented) A carrier moiety according to claim 53, methyl derivative of phenylalanine (Phe) is selected from the group consisting of 4-methyl-Phe*, and pentamethyl-Phe*.
- 74. (Previously Presented) A carrier moiety of claims 1, wherein the free carboxyl group of the carboxy terminal amino acid residue is in the form -C(O)-NRR', wherein R and R' are each independently selected from the group consisting of:

USSN 09/854204

6.

Attorney Docket No CCI-010CN

hydrogen, C1-6 alkyl, C1-6 alkylene r C1-6 alkynyl, aryl, each optionally substituted a heteroatom.

75. (Previously Presented) A carrier moiety according to claim 74, wherein free carboxyl group of the carboxy terminal amino acid residue is a carboxamide group.